



- Cat6 U/UTP LSOH Network Patch Leads
- Snagless Boot
- PLASTIC FREE - Packs of 10 Network Patch Leads
- Stranded Copper 24AWG
- Constructed with RJ45 Plugs
- 10/100/1000 BASE-T Gigabit Ethernet
- Operating Temperature Range: -20°C to 60°C
- Storage Temperature Range Range: -20°C to 60°C
- Available in 10 Different Colours
- PLEASE NOTE THAT THESE PATCH LEADS ARE NOT INDIVIDUALLY LABELLED



Product Features

- Constructed with high quality RJ45 plugs and UL approved stranded copper Cat6 LSOH IEC 60332-1-2 cable
- NOW WITH ZERO PLASTIC PACKAGING! These network patch leads now come in a pack of 10 up to a length of 3m with a recyclable cardboard tie.
- 10/100/1000 BASE-T Gigabit Ethernet
- 24AWG Stranded Copper cable used
- Pantone Number 1795c

Product Description

Cablenet Category6 LSOH U/UTP leads are manufactured, tested and verified to the ISO 11801 Class E and ANSI/EIA/TIA standards for enhanced performance

They are constructed with RJ45 plugs and high quality stranded copper Cat6 UL approved LSOH cable

Other colours are available in this pack of 10 option, please contact our sales team for more information.

Part Code	Description
L60-2002P	0.25m Cat6 RJ45 Red U/UTP LSOH 24AWG Snagless Booted Patch Lead - Pack of 10
L60-2003P	0.3m Cat6 RJ45 Red U/UTP LSOH 24AWG Snagless Booted Patch Lead - Pack of 10
L60-2005P	0.5m Cat6 RJ45 Red U/UTP LSOH 24AWG Snagless Booted Patch Lead - Pack of 10
L60-2010P	1m Cat6 RJ45 Red U/UTP LSOH 24AWG Snagless Booted Patch Lead - Pack of 10
L60-2015P	1.5m Cat6 RJ45 Red U/UTP LSOH 24AWG Snagless Booted Patch Lead - Pack of 10
L60-2020P	2m Cat6 RJ45 Red U/UTP LSOH 24AWG Snagless Booted Patch Lead - Pack of 10
L60-2025P	2.5m Cat6 RJ45 Red U/UTP LSOH 24AWG Snagless Booted Patch Lead - Pack of 10
L60-2030P	3m Cat6 RJ45 Red U/UTP LSOH 24AWG Snagless Booted Patch Lead - Pack of 10

PLEASE NOTE THAT THESE PATCH LEADS ARE NOT INDIVIDUALLY LABELLED

****Full Gold is a TM of Cablenet Trading Ltd for our RJ45 connectors that comply to IEE802.3bt/ISO IEC PoE Standards with 50-micron connectors**