



- US Conec MTP® (F) to 4X LC (DX) OFNP Breakout Cable
- CPR Cca Cca-s1a,d0,a1 Rated Cable
- BASE-12 Method B
- OS2 Singlemode (Yellow) Available
- Approved For Installation Into Any Public Sector Building, Compliant With The Most Stringent Fire Regulations
- Available In a Variety of Different Lengths

Product Features

- Cca-s1a,d0,a1 rated cable
- OS2 Singlemode Yellow
- MTP® (F) to MTP® (F) Trunk cable
- Using MTP® trunk and breakout cables allows much higher density cabling
- MTP® is a registered trademark of US Conec Ltd. This is the term US Conec uses to describe their connectors. American Conec MTP products are fully compliant with MPO standards therefore, the MTP connector is a type of MPO connector.

Product Description

Our US Conec Elite MTP® to 4X LC (DX) Breakout CPR Cca cables (Harness/Fanout) have a female MTP® connector at one end and a corresponding number of LC duplex connectors at the other end (4, 6, 8 or 12). Other connectors are used, but LC is by far the most popular option.

In a data centre environment with ever-increasing bandwidth and network connections, conventional duplex fibre leads are unable to meet these increased demands. This is where MTP® cables are the perfect solution. A single MTP® connector can house up to 24 fibres in a form-factor that is very similar in size to a duplex LC connector.

With them also being CPR rated they are approved for installations into any public sector building, and are compliant with the most stringent fire regulations.

Part Code	Description
MTP-12BO9LC1	1m OS2 BASE-12 Elite MTP® (F) TO 4X LC (DX) Breakout Yellow CPR Cca Cable Method B
MTP-12BO9LC2	2m OS2 BASE-12 Elite MTP® (F) TO 4X LC (DX) Breakout Yellow CPR Cca Cable Method B
MTP-12BO9LC3	3m OS2 BASE-12 Elite MTP® (F) TO 4X LC (DX) Breakout Yellow CPR Cca Cable Method B
MTP-12BO9LC5	5m OS2 BASE-12 Elite MTP® (F) TO 4X LC (DX) Breakout Yellow CPR Cca Cable Method B
MTP-12BO9LC10	10m OS2 BASE-12 Elite MTP® (F) TO 4X LC (DX) Breakout Yellow CPR Cca Cable Method B

**Other lengths are available, please contact our sales team for more information