


## OS2 9/125 LC - LC Uniboot Fibre Lead



- OS2 9/125 LC LC Uniboot Fibre Lead
- REVERSE POLARITY
- Duplex Yellow
- Strain Relief Boot
- 3.00mm IEC 60332-1-2 LSOH Cable Jacket
- Low Insertion Loss & High Reflection Loss
- Individually Bagged

## 음 Product Features

- IEC 60332-1-2 LSOH 3.00mm Yellow Cable
- Insertion Loss <0.5dB
- Return Loss UPC SM >55dB
- Strength Member Kevlar
- Ferrule 1.25mm (CCTC)
- Bend Radius (Static/Dynamic) 10D/20D
- Non-stocked configurations (length, colour, connectors and cable type) can be manufactured to meet specific requirements please contact our sales team for more information.

## **Product Description**

Our LC - LC OS2 singlemode uniboot fibre optic patch leads are used to connect networks over greater distances than multimode.

The polarity can be easily swithed from A-B to A-A in the field without the need for specialist tools.

All assemblies are fully tested during manufacturing and are supplied with test results.

OS2 singlemode patch leads are supplied with a strain relief boot and a yellow LSOH cable jacket as standard.

Part Code	Description
UNI9LCLC0.5	0.5 Uniboot OS2 9/125 LC - LC Duplex Yellow LSOH Fibre Patch Lead
UNI9LCLC1	1m Uniboot OS2 9/125 LC - LC Duplex Yellow LSOH Fibre Patch Lead
UNI9LCLC1.5	1.5m Uniboot OS2 9/125 LC - LC Duplex Yellow LSOH Fibre Patch Lead
UNI9LCLC2	2m Uniboot OS2 9/125 LC - LC Duplex Yellow LSOH Fibre Patch Lead
**Other lengths are available, please contact our sales team for more information.	