

Declaration of Performance

Certificate No: 2017-721A Certificate ID No: 6426	<u>1.</u> Unique identification code of the product type: XX5E0001
2. Type, batch or serial number or any other element al Part number XX5E0001 U/UTP Cat5e 4PR 24AWG	llowing identification of the construction product as required
3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specifications, as foreseen by the manufacturer: Supply of communication in buildings and other civil engineering works with the objective of limiting the generation and spread of fire and smoke.	 <u>4.</u> Name, registered trade name or registered mark and contact address of the manufacturer as required under article 11(5): Maxxam Cabling Solutions, AGP House, 2A Albany Park, Frimley Road, Camberley, Surrey, GU16 7PL, UK
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in article 12(2): Maxxam Cabling Solutions, AGP House, 2A Albany Park, Frimley Road, Camberley, Surrey, GU16 7PL, UK	<u>6.</u> System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V: System 3 AVCP
 specifications, as foreseen by the manufacturer: Supply of communication in buildings and other civil engineering works with the objective of limiting the generation and spread of fire and smoke. <u>5.</u> Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in article 12(2): Maxxam Cabling Solutions, AGP House, 2A Albany Park, 	article 11(5): Maxxam Cabling Solutions, AGP House, 2A Albany Park Frimley Road, Camberley, Surrey, GU16 7PL, UK 6. System or systems of assessment and verification constancy of performance of the construction product set out in CPR, Annex V:

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

Notified body number 0199 performed the determination of product type.

8. Declared Performance

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to Fire	Dca-s1,d2,a1	EN50575:2014+A1:2016
Dangerous Substances	None	

This product has undergone a one-time test performed by DELTA EC Cabling Group and Complies with the requirements for the stated Reaction to fire class. The classification has been carried out in accordance with EN 13501-6 for use in relation to the Construction Products Regulation (CPR) under AVCP System 3.

Signed for and on behalf of the manufacturer by:

Peter Pearson, Managing Director

Date of Issue: 1st December 2020