

## Declaration of Performance

**Certificate No:** 120-35778  
**Certificate ID No:** 0200-CPR-09724-2

**1. Unique identification code of the product type:**  
 XX5E0001C

**2. Type, batch or serial number or any other element allowing identification of the construction product as required**  
 Part number XX5E0001C U/UTP Cat5e 4P 24AWG LSZH on box/reel label and/or printed on cable.

**3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specifications, as foreseen by the manufacturer:**  
 Supply of communication in buildings and other civil engineering works with the objective of limiting the generation and spread of fire and smoke.

**4. Name, registered trade name or registered mark and contact address of the manufacturer as required under article 11(5):**  
 Maxxam Cabling Solutions, AGP House, 2A Albany Park, Frimley Road, Camberley, Surrey, GU16 7PL, UK

**5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in article 12(2):**  
 Maxxam Cabling Solutions, AGP House, 2A Albany Park, Frimley Road, Camberley, Surrey, GU16 7PL, UK

**6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:**  
 System 1+ AVCP

**7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:**  
 Notified body number 0200 performed the determination of product type.

**8. Declared Performance**

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to Fire	Cca-s1a,d1,a1	EN50575:2014+A1:2016
Dangerous Substances	None	

Under system 1+ for the performance set out in this certificate are applied and that the factory production control conducted by the manufacture is assessed to ensure the constancy of performance of the construction product. This certificate was first issued on 4th December 2020 and will remain valid until the specified expiry date as long as neither the harmonised standard, the construction product, the AVCP methods, nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by FORCE Certification A/S.

**Signed for and on behalf of the manufacturer by:**  
 Peter Pearson, Managing Director  
 Date of Issue: 29th November 2023  
 Date of Expiry: 4th December 2026

